

JAMA & ARCHIVES

# ARCHIVES OF INTERNAL MEDICINE

Select Journal or Resource

GO

SEARCH THIS JOURNAL:

GO

[GO TO ADVANCED SEARCH >](#)

[HOME](#)

[CURRENT ISSUE](#)

[PAST ISSUES](#)

[COLLECTIONS](#)

[CME](#)

[CAREER NET](#)

[CONTACT US](#)

[HELP](#)

**Vol. 157 No. 18, October 13, 1997**  
**ARTICLE**

[TABLE OF CONTENTS >](#)

**Featured Link**

• [E-mail Alerts](#)

## The health care cost of drug-related morbidity and mortality in nursing facilities

J. L. Bootman, D. L. Harrison and E. Cox

Department of Pharmacy Practice and Science, College of Pharmacy, University of Arizona, Tucson, USA.

**BACKGROUND:** Preventable drug-related morbidity and mortality within nursing facilities represent a serious problem urgently requiring expert medical attention. The health care costs of drug-related problems can be both immense and avoidable. However, the research to date has been narrow in scope, focusing on the drug costs avoided and failing to consider the wider range of possible negative outcomes and potential drug-related problems. **OBJECTIVES:** To develop a model of therapeutic outcomes resulting from drug therapy within nursing facilities, to estimate the magnitude of the cost of drug-related morbidity and mortality within nursing facilities in the United States, and to assess the impact of pharmacist-conducted, federally mandated, monthly, retrospective review of nursing facility residents' drug regimens in reducing the cost of drug-related morbidity and mortality. **METHODS:** Using decision analysis techniques, a probability pathway model was developed to estimate the cost of drug-related problems within nursing facilities. An expert panel consisting of consultant pharmacists and physicians with practice experience in nursing facilities and geriatric care was surveyed to determine conditional probabilities of therapeutic outcomes attributable to drug therapy. Health care utilization and associated costs derived from negative therapeutic outcomes were estimated. **RESULTS:** Baseline estimates indicate that the cost of drug-related morbidity and mortality with the services of consultant pharmacists was \$4 billion compared with \$7.6 billion without the services of consultant pharmacists. **CONCLUSIONS:** Drug-related morbidity and mortality in nursing facilities represent a serious economic problem. For every dollar spent on drugs in nursing facilities, \$1.33 in health care resources are consumed in the treatment of drug-related problems. With the current federally mandated drug regimen review, it is estimated that consultant pharmacists help to reduce health care resources attributed to drug-related problems in nursing facilities by \$3.6 million.

### Article Options

- [Send to a Friend](#)
- [Similar articles in this journal](#)

### Literature Track

- [Add to File Drawer](#)
- [Download to Citation Manager](#)
- [PubMed citation](#)
- Articles in PubMed by
  - [Bootman JL](#)
  - [Cox E](#)
- [Articles that cite this article](#)
- [Contact me when this article is cited](#)

### THIS ARTICLE HAS BEEN CITED BY OTHER ARTICLES

#### **Aging Biology and Geriatric Clinical Pharmacology**

McLean and Le Couteur

*Pharmacological Reviews* 2004;56:163-184.

[ABSTRACT](#) | [FULL TEXT](#)

#### **Updating the Beers Criteria for Potentially Inappropriate Medication Use in Older Adults: Results of a US Consensus Panel of Experts**

Fick et al.

*Arch Intern Med* 2003;163:2716-2724.

[ABSTRACT](#) | [FULL TEXT](#)

#### **Discrepancies in the Use of Medications: Their Extent and Predictors in an Outpatient Practice**

Bedell et al.

*Arch Intern Med* 2000;160:2129-2134.

[ABSTRACT](#) | [FULL TEXT](#)

**State Medicaid Nursing Home Reimbursement Rates: Adjusting for Ancillaries**

Swan et al.

*Gerontologist* 2001;41:597-604.

[ABSTRACT](#) | [FULL TEXT](#)

**Errors in health care management: what do they cost?**

Rigby and Litt

*Qual Saf Health Care* 2000;9:216-221.

[ABSTRACT](#) | [FULL TEXT](#)

[HOME](#) | [CURRENT ISSUE](#) | [PAST ISSUES](#) | [COLLECTIONS](#) | [CME](#) | [CAREERNET](#) | [CONTACT US](#) | [HELP](#)

© 1997 American Medical Association. All Rights Reserved.